



台北南港展覽館2館

TAIPEI NANGANG EXHIBITION CENTER, HALL 2

四樓平面圖

4th Floor Plan

4樓地板載重 Floor Load: 2,000kg/m²
 展場高度 Ceiling Height: 9m
 貨品出入口尺寸 Exhibit Entrance: 4×4.6m(H)
 車道限高 Maximum vehicle height: 4m
 R區 Area R: 7,560m²
 S區 Area S: 7,560m²
 m-q區 Area m-q 樓地板載重 Floor Load: 300kg/m²

- - - 區域分界線
Dotted Line (Indicates different areas)
- 柱 Pillar Size: 1.5×1.5m
- ▷ 消防栓 (含火警綜合盤) Fire Hydrant
- ▶ 火警綜合盤 Fire Alarm Panel
- ▶ 滅火器 Fire Extinguisher
- 水泥漆洗滌區 Painting Equipment Washing Area
- 機房 Mechanical Room
- 自動體外心臟電擊去顫器 AED
- 吊點 Rig Point
- 飲水機 Water Dispenser
- 無障礙廁所 Accessible Restroom
- 回教祈禱室 Muslim Prayer Room
- 醫務室 Infirmary
- ① 安全梯 Stairs

- 1、火警盤、滅火器、消防栓、電箱、灑水開關、CO/CO2偵測器及避難方向指示燈皆不得封閉。
Fire alarm panel, fire extinguisher, fire hydrant, power breaker, sprinkler switch, CO/CO2 sensor and all related signage in the hall should not be covered.
- 2、實際位置依現場為準。
Location of devices and facilities should be confirmed on site.

